




TYPES OF PANELS

## 1 STANDARD

- traditional panel shape
- reinforced for installation of hinges
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



## 2 PROTECT

- finger safe protection
- polyurethane foam core free from HFCKW
- double-side hot-dip galvanizing
- 25 - 35 µm PES Polyester
- $U = 0,50 \text{ W/m}^2\text{K}$
- $R = 25\text{dB}$



## PAINTING

### Color shades in RAL and NCS

**RAL** – best used system for determination of color shade in the industry of sectional doors; RAL numbers have four positions (1<sup>st</sup> position indicates group of color shade, 2<sup>nd</sup> position is always 0, last two positions specify color shade e.g. **6009**, **5010**).

**NCS** – is a proprietary perceptual color model based on the color opponency description of color vision; colors are defined by three values (specifying the amount of blackness, saturation, and a percentage value between two of the colors red, yellow, green or blue e.g. **2030-Y90R**, **0580-Y10R**).





# TOORS INDY

# PANELS

<b>STANDARD</b>							
	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	
	<b>Code-color</b> <sup>1)</sup>	533-9010/9002	531-9002/9002	532-9006/9002	536-9007/9002	534-7016/9002	535-5010/9002
	<b>Height [mm]</b> <sup>2)</sup>	500; 610	500; 610	500; 610	500; 610	500; 610	610
<b>Passdoor / FVE</b> <sup>3)</sup>	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	
<b>Structure</b> <sup>4)</sup>	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	

<b>STANDARD</b>					
	Lamella stucco	V-profil smooth	Lamella stucco	Lamella stucco	
	<b>Code-color</b> <sup>1)</sup>	538-8014/9002	539-9006/9002	540-7021/9002	531-80-9002/9002
	<b>Height [mm]</b> <sup>2)</sup>	610	610	610	610
<b>Passdoor / FVE</b> <sup>3)</sup>	Yes/Yes	Yes/Yes	Yes/Yes	No/No	
<b>Structure</b> <sup>4)</sup>	Stucco / Stucco	Smooth / Stucco	Stucco / Stucco	Stucco / Stucco	

<b>PROTECT</b>							
	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	Lamella stucco	
	<b>Code-color</b> <sup>1)</sup>	672-9010/9010	671-9002/9010	673-9006/9010	694-9007/9010	674-1021/9010	675-3000/9010
	<b>Height [mm]</b> <sup>2)</sup>	500; 610	500; 610	500; 610	610	500; 610	610
<b>Passdoor / FVE</b> <sup>3)</sup>	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	
<b>Structure</b> <sup>4)</sup>	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	

<sup>1)</sup>Color of panel: outer side / inner side; <sup>2)</sup>Active height of panel contribute to the door height; <sup>3)</sup>FVE – aluminum frame section; <sup>4)</sup>Surface structure of panel: outer side / inner side;



# TOORS INDY

# PANELS

## PROTECT



Code-color <sup>1)</sup>	676 – 5010 / 9010	677 – 6009 / 9010	679 – 8014 / 9010	678 – 7016 / 9010	684 – 9005 / 9010
Height [mm] <sup>2)</sup>	610	610	610	610	610
Passdoor / FVE <sup>3)</sup>	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Structure <sup>4)</sup>	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco	Stucco / Stucco

## PROTECT



Code-color <sup>1)</sup>	687 – 9006 / 9010	682 – 7016 / 9010	699 – 9016 / 9010	667 – 9016 / 9010	669 – 9016 / 9010	668 – 7016 / 9010
Height [mm] <sup>2)</sup>	500; 610	500; 610	500; 610	500; 610	500; 610	500; 610
Passdoor / FVE <sup>3)</sup>	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes	Yes / Yes
Structure <sup>4)</sup>	Smooth / Stucco	Smooth / Stucco	Stucco / Stucco	Smooth / Stucco	Woodgrain / Stucco	Smooth / Stucco



<sup>1)</sup>Color of panel: outer side / inner side; <sup>2)</sup>Active height of panel contribute to the door height; <sup>3)</sup>FVE – aluminum frame section; <sup>4)</sup>Surface structure of panel: outer side / inner side